

Abnormal Cervical Screening Test

Evaluation	Management	Referral Guidelines
Pap smear history * HPV vaccination history If at-risk of STI, high vaginal swab MC&S and STI screen (endocervical swab for chlamydia and gonorrhoea PCR, others as indicated)	Refer to Women's Clinic Colposcopy Clinic	Urgent (Cat 1) <ul style="list-style-type: none"> • Malignancy detected on CST, hyperplasia endometrium >12mm in all women Routine (Cat 2) <ul style="list-style-type: none"> • Low grade dysplasia/CIN 1 (Cat 2 Low) • High grade dysplasia/CIN 2-3 (Cat 2 High) <i>Refer to the National Cervical Screening Guidelines</i>

Abnormal Uterine Bleeding, Post Coital Bleeding, Cervical Polyp

Evaluation	Management	Referral Guidelines
Serum b-HCG * Pelvic ultrasound (before Day 7 of cycle) * Pap smear with HPV screen DNA * <i>(or they will be charged at Colposcopy)</i> STI screen (endocervical chlamydia and gonorrhoea PCR, others as indicated) * FBE (if heavy bleeding) Iron studies (if heavy bleeding) TSH (if signs/symptoms of thyroid dysfunction)	Refer to Women's Clinic, Colposcopy Clinic (if abnormal pap smear, or abnormal appearance of cervix) Gynaecology Clinic	Urgent (Cat 1) <ul style="list-style-type: none"> • Post-coital bleeding with abnormal cervical appearance • Peri menopausal bleeding with endometrial lining >12mm on ultrasound report Routine (Cat 2) <ul style="list-style-type: none"> • Post-coital bleeding with normal pap smear • Cervical polyp • Vaginal Polyp