

## Recommended investigations (\*required)

<b>Abnormal pap smear</b>	Pap smear history * HPV vaccination history If at-risk of STI, high vaginal swab MC&S and STI screen (endocervical swab for chlamydia and gonorrhoea PCR, others as indicated)
<b>Abnormal uterine bleeding, post-coital bleeding</b>	Serum b-HCG * Pelvic ultrasound (before Day 7 of cycle) * Pap smear with HPV screen DNA * (or patient will be charged at Colp) * STI screen (endocervical chlamydia and gonorrhoea PCR, others as indicated) * FBE (if heavy bleeding) Iron studies (if heavy bleeding) TSH (if signs/symptoms of thyroid dysfunction)
<b>Amenorrhoea, oligomenorrhoea</b>	Serum b-HCG * Sex hormone profile (estrogen, FSH, LH) Prolactin PCOS assessment if indicated (e.g. hirsutism)
<b>Dyspareunia</b>	If superficial dyspareunia, then exclude infection with high vaginal swab MC&S and STI screen (endocervical swab chlamydia and gonorrhoea PCR, others as indicated) *  If deep dyspareunia, arrange pelvic ultrasound. *
<b>Fibroids</b>	Pelvic ultrasound (before Day 7 of cycle) * FBE (if heavy bleeding) Iron studies (if heavy bleeding)
<b>Incontinence, prolapse</b>	Urine MC&S * Pelvic ultrasound (to exclude pelvic mass) * UEC and renal tract ultrasound if severe prolapse (check post-void residual)
<b>Infertility</b>	Male: - Partner semen analysis (ONCE or repeated twice over 3 months if abnormal) *  Female: - Serum b-HCG * - Sex hormone profile Day 3 of menses (estrogen, FSH, LH) * - TSH * - Prolactin * - Day 21 progesterone (or after progesterone-induced withdrawal bleed if amenorrhoea/oligomenorrhoea) * - Pelvic ultrasound *
<b>Menopause</b>	Fasting lipid profile FBE

	TSH Mammogram Pap smear Consider DEXA scan
<b>Ovarian cyst</b>	Pelvic ultrasound (Day 7-14, transvaginal and transabdominal) * - NB: If simple cyst <5cm then need 2 consecutive scans (8 weeks apart) showing persistence. * - BHcG and alpha fetal protein Ovarian tumour markers * - Age <35: b-HCG, LDH, AFP, CA125, CA 19.9, CEA - Age >35: CA 125, CA 19.9, CEA, FBE, UEC, LFT  Pap smear *
<b>PCOS</b>	Pelvic ultrasound (with real time follicle count) * Sex hormone profile (estrogen, FSH, LH) * Androgen studies (testosterone, free androgen index, SHBG, DHEA) * 17-hydroprogesterone 75g OGTT with serum insulin levels Fasting lipid profile
<b>Pelvic pain</b>	Serum b-HCG * Pelvic ultrasound * High vaginal swab MC&S * STI screen (endocervical swab chlamydia and gonorrhoea PCR, others as indicated) * Urine MC&S *
<b>Premature or surgical menopause</b>	Two FSH/E2 levels at least 1 month apart *
<b>Post-menopausal bleeding</b>	Pelvic ultrasound (transvaginal) * Pap smear * High vaginal swab MC&S
<b>Recurrent UTI</b>	Urine MC&S results and treatment prescribed * Renal tract ultrasound *
<b>Vaginal discharge</b>	High vaginal swab MC&S * STI screen (endocervical chlamydia and gonorrhoea PCR, others as indicated) *
<b>Vulval itch, vulval pain vulval infection</b>	High vaginal swab MC&S *
<b>Vulval ulcers</b>	MC&S of ulcer * HSV PCR of ulcer * Syphilis serology HSV serology

## Service Unavailable -

	<ul style="list-style-type: none"> <li>• Reversal of tubal ligation</li> </ul>
--	--

	<ul style="list-style-type: none"> <li>• IVF – advise of local availability – refer to Monash IVF website</li> </ul>

## DRAFT - Women's Health clinic Referrals

**Core template with** Severity/urgency removed from referral information

Standard Clinic information; remove other details/observations leave -BMI

## Recommended investigations (\* mandatory)

<b>Choices Clinic</b>	FBE Blood group and Antibodies * Dating obstetric ultrasound report * Endo cervical swabs for chlamydia and gonorrhoea PCR * HVS for MC&S *
	Needs Obstetric history part added to accompany core template G:P Miscarriage/STOP/Ectopic/throphoblastic disease LNMP EDD Gestational age
<b>Early Pregnancy Assessment Service</b>	All serum b-HCG results (Pathology name, date) * Blood group and antibodies * All pelvic ultrasound reports (Ultrasound provider, date) *
	Needs Obstetric history part added to accompany core template G:P Presenting problem? Pregnancy outcomes miscarriage/STOP/Ectopic/throphoblastic disease LNMP EDD Gestational age First trimester screening/MSS
<b>Family Planning (if Mirena wanted)</b>	Endo cervical swabs for chlamydia and gonorrhoea PCR HVS for MC&S