



# Getting my COVID Vaccination at home




coronavirus




cough


COVID-19 is a virus that has made many people very sick.



There is a vaccine,  
the vaccine is in a needle.



The vaccine needle puts medicine in my body to keep me from getting sick from COVID-19.



I can get the COVID-19 needle at my house to stay healthy.



The Nurses will knock on the front door when they get to my house.  
They will tell me their names.



The nurses will have a special basket with them.  
The basket has all the things they need to give me my vaccination.

## PATIENT INFORMATION COVID-19 VACCINE

The Bendigo Health COVID Clinic (located 113 Mollison St) is open to walk in appointments every day.

Open 10:00am to 5:30pm on Monday, Wednesday, Friday, Saturday and Sunday  
Open 11:00am to 6:30pm on Tuesday and Thursday

**REPORTING SIDE EFFECTS**  
After you have received medical advice for any side effects experienced, you can report side effects to Safe Care Victoria online. By reporting side effects, you can help provide more information on the safety of the vaccine at:  
Website: <https://saefvic.online/report>  
Phone (Victorian Coronavirus Hotline): 1800 675 398

<p><b>Pfizer</b></p> <p><b>COMMON SIDE EFFECTS</b></p> <ul style="list-style-type: none"> <li>• pain or swelling at the injection site</li> <li>• tiredness</li> <li>• headache</li> <li>• muscle pain</li> <li>• fever and chills</li> <li>• joint pain</li> </ul> <p><b>UNCOMMON SIDE EFFECTS</b></p> <ul style="list-style-type: none"> <li>• redness at the injection site</li> <li>• nausea</li> <li>• enlarged lymph nodes</li> <li>• feeling unwell</li> <li>• pain in limb</li> <li>• insomnia</li> <li>• itching at the injection site</li> </ul> <p><b>SEVERE ALLERGIC REACTION (Very Rare)</b></p> <ul style="list-style-type: none"> <li>• Anaphylaxis</li> <li>• Myocarditis and Pericarditis</li> </ul>	<p><b>Moderna</b></p> <p><b>COMMON SIDE EFFECTS</b></p> <ul style="list-style-type: none"> <li>• pain at the injection site</li> <li>• tiredness</li> <li>• headache</li> <li>• muscle pain</li> <li>• fever and chills</li> <li>• joint pain</li> </ul> <p><b>UNCOMMON SIDE EFFECTS</b></p> <ul style="list-style-type: none"> <li>• redness or swelling at the injection site</li> <li>• swelling or tenderness in the armpit</li> <li>• nausea/vomiting</li> <li>• enlarged lymph nodes</li> </ul> <p><b>SEVERE ALLERGIC REACTION (Very Rare)</b></p> <ul style="list-style-type: none"> <li>• Anaphylaxis</li> <li>• Myocarditis</li> </ul>	<p><b>AstraZeneca</b></p> <p><b>COMMON SIDE EFFECTS</b></p> <ul style="list-style-type: none"> <li>• pain, swelling, tenderness, redness or itching at the injection site</li> <li>• tiredness</li> <li>• headache</li> <li>• muscle pain</li> <li>• nausea</li> <li>• fever and chills</li> <li>• feeling unwell</li> <li>• joint pain</li> </ul> <p><b>UNCOMMON SIDE EFFECTS</b></p> <ul style="list-style-type: none"> <li>• enlarged lymph nodes</li> <li>• pain in limb</li> <li>• dizziness</li> <li>• decreased appetite</li> <li>• stomach pain</li> </ul> <p><b>SEVERE ALLERGIC REACTION (Very Rare)</b></p> <ul style="list-style-type: none"> <li>• Anaphylaxis</li> </ul>
---	---	---

**Can I get other vaccines, like the flu shot, at the same time as the COVID-19 vaccine?**  
No, you will need to wait at least one week after getting the COVID-19 vaccine before getting other vaccinations.

**If I am vaccinated against COVID-19, can I still spread the virus to others?**  
The vaccine trials conducted did not look at the vaccine's ability to prevent virus transmission. We do know the vaccine is very effective at preventing illness in those receiving the vaccine. Because there is no data demonstrating the ability of the vaccines to prevent viral transmission, it is important to continue to wear a mask and socially distance even after getting vaccinated.

More information on the vaccination program can be found on the Bendigo Health website, which can be accessed here: [www.bendigohealth.org.au/COVID/vaccine/](http://www.bendigohealth.org.au/COVID/vaccine/) or with this QR code.



SCAN ME

Proof of Vaccination  
How to get proof of your COVID-19 vaccinations can be accessed with this QR code.



SCAN ME

<p>After your <b>Pfizer</b> Vaccination</p>  <p>SCAN ME</p>	<p>After your <b>Moderna</b> Vaccination</p>  <p>SCAN ME</p>	<p>After your <b>AstraZeneca</b> Vaccination</p>  <p>SCAN ME</p>	<p>Shared decision making guide for women who are pregnant, breastfeeding or planning pregnancy</p>  <p>SCAN ME</p>
--	---	---	--

In the basket there is a form that the nurses will read to me to tell me about my COVID Vaccination.




There is a COVID-19 needle in a green bag.  
The COVID vaccination medicine is in the needle.



This is a safe bin for needles.  
The Nurse will put the needle in the yellow container after I've had my COVID  
Vaccination.




There is hand sanitiser and sanitiser wipes to make sure everything is clean.  
I might not like the smell of the sanitiser.



There is a box of things to help me feel better if I feel sick after my COVID-19 Vaccination.



The Nurses will bring a computer with them.  
They will put my information in so that others know I've had the COVID-19  
vaccination.



When I am ready I will find a seat where I feel comfortable.  
The nurse will roll up my sleeve.



The nurse will give me the vaccine needle.  
It will feel like a pinch or a prick.  
I will sit very still.



The nurse will put a cotton ball and some tape on my arm.



I will need to sit and wait to make sure I am safe and healthy.  
The nurse will give me a lollipop and a bottle of water.



After the nurse tells me it's okay, I am done for the day.  
The nurse will say goodbye and they will leave my house.